


MAKING BATHROOMS BEAUTIFUL Technical Drawing & FAQ Data Sheets




Qubic 50 Qubic 60 Qubic 80

R170110 Ver No. 1.0 Jan 2017


HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

## Qubic 50



# Qubic 60



## **Electrical Safety Information**

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

## Qubic 80 Art no. 46600



#### **Electrical Safety Information**

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

		Version No. 10.01.16
	Product	Qubic 50, Qubic 60 & Qubic 80
	Art. No.	Qubic 50: 46400, Qubic 60: 46500, & Qubic 80: 46600
	Product Description	LED colour temperature changing single/double door cabinet with sensor switch, charging socket & soft close hinges.

Question	Answer
Nett weight (kg)	Qubic 50: 13.5 kg / Qubic 60: 16 kg / Qubic 80: 19.5 kg
Light Source	LED
Light Source Average Lifespan	Average: 20,000 hr
Total Rated Wattage (W)	Qubic 50: 20.7w / Qubic 60: 22.5w / Qubic 80: 22.5w
Lumens (Lm)	Qubic 50: 1152 lm / Qubic 60: 1246 lm / Qubic 80: 1456lm
Kelvins (k)	Qubic 50: 3000 - 6400k / Qubic 60: 3000 - 6400k / Qubic 80: 3000 - 6400k
Is the cabinet dimmable?	No
Energy Rating	Class A
Does the cabinet require an earth connection?	Yes
Can I bypass the sensor so the cabinet comes on with the main room light?	No
Is it cool white or warm white illumination?	Both - the cabinet is colour temperature changing
What IP rating is the cabinet?	All Qubic cabinets are IP44 rated
How long is the warranty?	2 years from date of purchase

## **Electrical Safety Information**

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.