

ELLIPSE SINGLE LEVER TAP CHROME

RANGEmaster
sinks & taps



Unique in design, the Ellipse single lever kitchen tap offers effortless handle control. Featuring an anti-splash spout and ceramic disc cartridge which mixes hot and cold water supplies for an optimum water flow output whilst always ensuring a water-tight seal is retained when the tap is not in use.

- Suitable for medium pressure water systems emitting a minimum pressure of 0.5 bar or above
- Featuring an anti-splash spout with honeycomb aerator design which mixes air with water to emit a water flow with no splash

Overall Height (mm)	277
Spout Reach (mm)	185
Spout Height (mm)	210
Spout Rotation Range	360°
Handle Type	Single Lever
Colour	Chrome
Bar Pressure Suitability	Medium Pressure
Min. Bar Pressure	0.60
Max. Bar Pressure	5.50
Mixed Flow Rate at 3 Bar Pressure (l/min)	11.30
Flow Type	Single Flow
Recommended Hot Water Temperature	46°C
Maximum Hot Water Temperature	70°C
Handle Control	Half Turn
Centre Distance (mm)	-
Cartridge Type	Ceramic Disc Cartridge
Aerator Type	Honeycomb Aerator
Inlet Pipes	1 2 Stainless Flexible Hoses
Anti-Splash Spout	Yes
Pull Out Spray	
WRAS Approved	Yes
Product Code	TEP1CM/
Barcode	5015834037851


Date of download: April 13, 2021

AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.

ELLIPSE SINGLE LEVER TAP CHROME

TEP1CM/

Technical Drawing



Date of download: April 13, 2021

AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.