# HERITAGE BATHROOMS

Installation Guide



Models Covered:

Pop-Up Bath Waste

THAI4 THBBI4 THBLI4 THBNI4 THCI4

Please keep this booklet for future reference.


Installer: When you have read these instructions, please ensure you leave them with the user.

### INSTALLATION

#### (TH\_\_I4) Components:

Identify all components are present prior to installation.

١.	Grooved Bath Washer	(xl)
2.	Waste Body	(xI)
3.	Flange	(xl)
4.	Hollow Screw	(xl)
5.	Overflow Elbow	(xl)
6.	Rubber Washer	(xl)
7.	Plastic Nut	(xl)
8.	Control Knob	(xl)
9.	Screw	(xl)
10.	Plug	(xl)
П.	Brass Nut	(xl)
12.	Adjusting Screw	(x1)



- I. Push the grooved bath washer (I) through the plug hole, shorter side at the top. Make sure that both sides of the washer are flat to the bath surface.
- 2. Place the waste body (2) underneath the bath. Place the flange (3) on the top of the waste hole and screw down the hollow screw (4) to secure the waste in place. Connect your waste pipework (not supplied).
- 3. Place the overflow elbow (5) behind the bath overflow hole; with the rubber washer (6) in front of the elbow. Secure in place by screwing the plastic nut (7) from the inside of the bath.
- 4. Fit the control knob (8) on top of the plastic nut (7) inside the bath. Secure using the screw (9).
- 5. Test operation by turning the control knob (8) to see if the plug (10) pops up sufficiently. If necessary, the plug can be adjusted by loosening the nut (11) and unscrewing the adjusting screw (12) so that it's touching the operating lever inside the waste body (2).
- 6. Turn on the water supply and check all joints and connections for leaks.

### CARING FOR YOUR PRODUCT

Heritage products are made from premium materials, with hand polishing, PVD, EPD and electroplated finishes.

Your product should be regularly cleaned with warm water, a mild pH-neutral liquid soap, and polished with a soft cloth. Any residues from soap, toiletries etc. should be rinsed off straight after use.

Household bleaches and cleaners contain harsh chemicals and may damage the surface finish. Avoid using abrasive cloths, scouring pads, scrub sponges, steel wool or anything similar.

Some surfaces such as nickel and pewter may be affected by the dye found in some cloths, so it is also important to avoid leaving cloths on surfaces.

#### GUARANTEE

The confidence we have in the quality of our products and services enables us to offer a free peace-of-mind product guarantee from 2 years up to a lifetime guarantee against any manufacturing faults, with proof of purchase. In addition, our attentive customer service team are available to help solve any problems which may arise quickly and effectively so you can enjoy your bathroom.

To see the specific guarantee for this product, scan the QR Code or visit the following URL:

https://www.heritagebathrooms.com/service-centre/guarantee



## NEED HELP?

In the unlikely event that you encounter a problem with your Heritage product, you must, in the first instance, contact the retailer you purchased it from. They will advise as to whether it is due to a manufacturing fault or an installation fault. If the problem is due to a manufacturing fault, they will contact us to arrange a supply of a replacement product as soon as possible. To speak to a Heritage customer service advisor, please contact our technical helpline on 0330 026 8503.



We love to see how Heritage products are used so please keep in touch and share pictures of your new bathroom with us.



If you have any queries, our dedicated customer service teams and products experts are available to help.

Email us enquire@heritagebathrooms.com Call us 0330 026 8503 Website www.heritagebathrooms.com

UK: Heritage Bathrooms, Pooley Hall Drive, Birch Coppice Business Park, Dordon, Tamworth B78 ISG

EU: Masco Europe S.à.r.l., 14 Rue Strachen, 6933 Mensdorf, Luxembourg.