

Notes on combination


TOTO

TOTO pre-wall element with AUTO FLUSH

The TOTO pre-wall element with AUTO FLUSH enables selected WASHLET®an automatic toilet flush.

In this combination, the user benefits from the automatic flushing, which is activated as soon as the WASHLET seat detection is activated®registers that the user stands up. After sitting for 6 to 30 seconds, the “small” 3-liter flush is automatically activated and after sitting for more than 30 seconds, the “large” 4.5-liter flush is activated. The toilet can also be flushed using the WASHLET remote control®, or can be triggered conventionally by pressing the pusher plate.

The system is only with TOTO WASHLET®Compatible, other shower toilet or other cisterns/installation elements are not compatible . If you have any questions, please contact your TOTO contact person or TOTO Technical Support on 0211 27308-273.

		Pre-wall element for WASHLET® with AUTO FLUSH
		Height 1120 mm  WH182EAT
The associated TOTO toilet ceramic must be ordered separately.		
WASHLET®for NEOREST®WX1/WX2 WX1: TCF95180GEU / WX2: TCF95280GEU		A NOTICE: Water connection via existing empty pipe. Electrical connection via flexible connection H05VV-F 3G1.00mm ² (Hirschmann connector in WASHLET® Included in delivery). The flushing motor and control cable for triggering the automatic flushing are included in the scope of delivery of the TOTO pre-wall element.
TOTO connection set for NEOREST®WX1/WX2	HM183	- -
TOTO push plate for NEOREST®WX1/WX2, brushed aluminum	MB177EM#S	- -
WASHLET®RW AUTO FLUSH WASHLET® SW AUTO FLUSH WASHLET®RX EWATER+ AUTO FLUSH WASHLET®SX EWATER+ AUTO FLUSH		A NOTICE: Water connection via existing empty pipe. Electrical connection via flexible connection H05VV-F 3G1.00mm ² (Hirschmann connector in WASHLET® Included in delivery). The flushing motor and control cable for triggering the automatic flushing are included in the scope of delivery of the TOTO pre-wall element.
TOTO connection set for concealed connections	SP10695UN	- -
TOTO push plate, brushed stainless steel	MB175M#SS	- -

Other cisterns/installation elements

Listed are cisterns/installation elements that can be expanded and/or modified using optionally available accessories in order to combine them with a TOTO WASHLET® to enable. **The required accessories are marked with a "-" in the respective column.** The extension or modification is carried out in accordance with the manufacturer's specifications. The assembly instructions and accompanying technical documents from the manufacturer must be taken into account. If no accessories are marked, the combination is not intended. Information in this list is based on TOTO's experience at the time of issue, all information is provided without guarantee. If you have any questions, please contact your TOTO contact person or TOTO Technical Support on 0211 27308-273.

TECE

NEOREST module	TECE profile			TECElux	
	Toilet module with empty pipe for shower toilets			manual activity	sen touch activity
	1120mm	1120mm	980mm		
9300344	9300300	9300322	9300301		

The associated TOTO toilet ceramic must be ordered separately.

WASHLET® for NEOREST® EW 2.0 / AC 2.0 EW 2.0: TCF994RW / AC 2.0: TCF996RW	A NOTICE: About TECElux sen-Touch: In combination with TECElux sen-Touch operation, the toilet can only be flushed via the sen-Touch operation OR NEOREST® possible, TOTO therefore recommends the "manual operation" version.				
TOTO motor unit for automatic. Rinse	E00004	--	-	-	--
TOTO push plate NEOREST	E00003	--	-	-	-
TOTO mini ball valve AG-AG 3/8"	SP515011B	-	-	-	--
TECE control cable. for NEOREST flush trigger 9820259		-	-	-	--
TECE lux toilet glass plate 9650101 (w) or 9650106 (s)		-	-	-	--
TECE lux connection set 9660001		-	-	-	--
WASHLET® RW/SW TCF801CG / TCF803CG WASHLET® RX / SX EWATER+ TCF894CG / TCF896CG WASHLET® RG/RG Lite TCF34270GEU / TCF34170GEU with hidden connections	A NOTICE: The TOTO mini ball valve SP515011B is recommended for shutting off water below the toilet ceramic. Electrical connection via flexible connection H05VV-F 3G1.00mm² (Hirschmann connector in WASHLET® Included in delivery). * The lid of the WASHLET® RX/SX may conflict with the detection of the TECElux sen-Touch / mini sensors; a combination is not recommended.				
TOTO mini ball valve AG-AG 3/8"	SP515011B	-	--	--	* --
TECE fine construction set for toilet module 1120 mm	9880052	-	--	-	-
TECE fine construction set for toilet module 980 mm	9880053	-	-	--	-
TECE fine construction set for toilet module 820 mm	9880054	-	-	--	-
TECE lux toilet glass plate 9650104 (w) or 9650108 (s)		-	-	-	* --
TECE lux connection set 9660001		-	-	-	* --
WASHLET® RG Lite TCF34120GEU with side connections	A NOTICE: The shower toilet connection cannot be used. The installation of the TECEprofil upgrade set 9880037 for side connections is required. The installation before assembling the toilet element.				
Schell angle valve 49170699		-	--	--	-
TECE profil upgrade set for side connections 9880037		-	--	--	-
TOTO mini ball valve AG-AG 3/8"	SP515011B	-	-	-	--
TECE lux toilet glass plate 9650102(f)		-	-	-	--
TECE lux connection set 9660001		-	-	-	--

Geberit

The associated TOTO toilet ceramic must be ordered separately.

		Sigma 12 cm		Omega 12 cm		Kappa 15 cm		without empty pipe	monolith
		until March 2013		112cm	82 / 98cm	until March 2013			101 / 114 cm Front fairing of glass
WASHLET®RW/SW TCF801CG / TCF803CG WASHLET®RX / SX EWATER+ TCF894CG / TCF896CG WASHLET®RG/RG Lite TCF34270GEU / TCF34170GEU with hidden connections		A NOTICE: 5 cm empty pipe required for installing the water connection, alternatively using a Geberit design plate. Electrical connection via flexible connection H05VV-F 3G1.00mm ² (Hirschmann connector in WASHLET® Included in delivery).							
TOTO connection set for concealed connections	SP10695UN	-	-	-	-	-	--	-	--
Geberit water connection set concealed cisterns 12/15 cm	147.020.00.1				-				
Geberit design plate e.g. glass, white	115.328.SI.1	-				-	-	-	-
WASHLET®RG Lite TCF34120GEU with side connections		A NOTICE: Shower toilet connection via empty pipe 19.5cm/5 cm cannot be used. The installation of the TECEprofil upgrade set 9880037 for side connections is required. The installation before assembling the toilet element.							
Schell angle valve	49170699		-	-	-	-	-	-	-
TECE profil upgrade set for side connections	9880037		-	-	-	-	-	-	-
Geberit Monolith conversion set for attachments 106.5 cm	131.100.TA.1							<i>alternatively</i>	-
Geberit Monolith conversion set for attachments 94 cm	131.102.TA.1					-	-	-	--
Geberit design plate e.g. glass, white	115.328.SI.1					-	-	--	-

Viega

The associated TOTO toilet ceramic must be ordered separately.

		Prevista Dry toilet element							
WASHLET®RW/SW TCF801CG / TCF803CG WASHLET®RX / SX EWATER+ TCF894CG / TCF896CG WASHLET®RG/RG Lite TCF34270GEU / TCF34170GEU with hidden connections		A NOTICE: Electrical connection via flexible connection H05VV-F 3G1.00mm ² (Hirschmann connector in WASHLET® Included in delivery).							
TOTO connection set for concealed connections	SP10695UN							--	
Viega Connection tee	Model 8580.66							--	
WASHLET®RG Lite TCF34120GEU with side connections		A NOTICE: The shower toilet connection cannot be used. The installation of the TECEprofil upgrade set 9880037 for side connections is required. The installation before assembling the toilet element.							
TECE profil upgrade set for side connections	9880037							--	

Notes on combination

Grohe

The associated TOTO toilet ceramic must be ordered separately.

		RapidSLX
WASHLET®RW/SW TCF801CG / TCF803CG WASHLET®RX / SX EWATER+ TCF894CG / TCF896CG WASHLET®RG/RG Lite TCF34270GEU / TCF34170GEU with hidden connections		A NOTICE: Electrical connection via flexible connection H05VV-F 3G1.00mm ² (Hirschmann connector in WASHLET® Included in delivery).
TOTO connection set for concealed connections	SP10695UN	- - -
WASHLET®RG Lite TCF34120GEU with side connections		A NOTICE: The shower toilet connection cannot be used. The installation of the TECEprofil upgrade set 9880037 for side connections is required. The installation before assembling the toilet element.
TECE profil upgrade set for side connections	9880037	- -

MEPA

The associated TOTO toilet ceramic must be ordered separately.

		Cistern type A31 shower toilet 514 814
WASHLET®RW/SW TCF801CG / TCF803CG WASHLET®RX / SX EWATER+ TCF894CG / TCF896CG WASHLET®RG/RG Lite TCF34270GEU / TCF34170GEU with hidden connections		A NOTICE: Electrical connection via flexible connection H05VV-F 3G1.00mm ² (Hirschmann connector in WASHLET® Included in delivery).
TOTO connection set for concealed connections	SP10695UN	- - -
WASHLET®RG Lite TCF34120GEU with side connections		A NOTICE: The shower toilet connection cannot be used. The installation of the TECEprofil upgrade set 9880037 for side connections is required. The installation takes place before the toilet element is installed.
TECE profil upgrade set for side connections	9880037	- -