
CERATHERM T25

A7569XG

SILVER 2023 ecovadis

CERATHERM T25 | Shower mixer bundle 315x99x70 mm, 161 mm spout projection in matt black finish, 22.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Easy clean nozzles, Safety stop

Image & drawing



Ø100 020.6 020.6 020.6 020.6 020.4 0 020.6

General information

Product type:	Shower mixers
Sub product type:	Shower mixer bundle
Brand:	Ideal Standard
Suite name:	CERATHERM T25
Designer:	Ideal Standard
Colour:	XG - Matt Black
Surface finish effect:	matt
Height (mm):	70
Width (mm):	315
Length / Projection (mm):	99
Fixing method:	S-coupling
Net weight (kg):	2.60
EAN code:	4015413351652

Included products

A7544XG:	CERATHERM T25 Exposed bath & shower mixer 315x185x70 mm, 161 mm spout projection in matt black finish, 22.0 l/min (3 bar)
B9402XG:	IDEALRAIN Single function handspray 100x245.5 mm in matt black finish, 8 l/min (3 bar)
A4109XG:	IDEALRAIN Shower hose 1750 mm in matt black finish

Features



Downloads

• EPD

- Declaration of Conformity
- Installation Guide
- Dectaration of Comornin
- Spare Parts List

Product specifications

Adjustable flush volume:	No
Amount of escutcheon(s):	2
Amount of handles:	2
Amount of spray modes:	1
Anti-twist function:	No
Colour code:	XG
Colour description:	matt black
Cool Body technology:	Yes

CERATHERM T25

A7569XG

CERATHERM T25 | Shower mixer bundle 315x99x70 mm, 161 mm spout projection in matt black finish, 22.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Easy clean nozzles, Safety stop

Product specifications

Product specifications	
ON / OFF S-Connectors:	No
Easy clean nozzles:	Yes
Flushing time adjustable:	No
Hairdresser's design:	No
Handle application:	Volume & temperature control
Handle position:	Lateral
Low in aerosols:	Yes
Low-pressure model:	No
Material:	Metal
Material (bundle):	Exposed bath & shower mixer (A7544XG): Metal
Material of escutcheon(s):	Plastic
Material of handle:	Plastic
Material quality:	Brass
Material quality (bundle):	Exposed bath & shower mixer (A7544XG): Brass
Max. flow rate at 3 bar (l):	22.0
Max. flow rate at 3 bar (l) for all outlets:	22/22
Max. flow rate at 3 bar (l) for handspray:	22
Max. flow rate at 3 bar (l) for spout:	22
Max. operating pressure (bar):	10
Min. operating pressure (bar):	0.5
Navigo technology:	No
Noise reduced S-Connectors:	No
PVD technology:	No
Shape of escutcheon(s):	Round
Shower hose connection thread:	G 1/2
Smart Flush compatible:	No
Spout model:	Fixed
Surface cover:	coated
Surface finish effect:	matt
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Temperature blocking at (°):	40
Temperature limiter:	Yes
Thermostatic:	Yes
Type of handle:	Rotary knob
Type of spray mode(s):	Rain
Type of temperature control:	Thermostatic
Water saving:	Yes
With S-couplings:	Yes
With braiding:	No
With check valve:	Yes
With diverter unit:	Yes



CERATHERM T25

A7569XG

CERATHERM T25 | Shower mixer bundle 315x99x70 mm, 161 mm spout projection in matt black finish, 22.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Easy clean nozzles, Safety stop

Product specifications

With escutcheon(s):	Yes
With flow regulator:	Yes
With handle(s):	Yes
With handspray set:	No
With head shower:	No
With outlet:	Yes
With rapid coupling:	No
With removable sieve:	No
With shelve(s):	No
With shower hose:	No
With shower kit:	No
With wall bracket:	No
Fixing method:	S-coupling
Handle fixation position:	Тор
Mounting method:	Wall







Your local contact:

België • Belgique

Ideal Standard Produktions GmbH Ikaroslaan 18 B-1930 Zaventem ① +32 2 325 66 00 ⊒ +32 2 325 66 01 www.idealstandard.be

България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 Ф +359 885 938 880 office@idealstandard.com www.idealstandard.bg

Česká republika

Ideal Standard s.r.o. Zemska 623 41574 Teplice ① +420 (0)-417-265 11 ⊒ +420 (0)-417-265 15 www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb © +385 91 229 9304 www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

Deutschland

Ideal Standard GmbH Euskirchener Straße 80 53121 Bonn ① +49 (0)228 521-0 ⊒ +49 (0)228 521-241 ⊠ idealstandard.de@idealstandard.com www.idealstandard.de

Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 (1) +353 1 4564525 www.idealstandard.ie

España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) (1) +34 93 561 80 00 www.idealstandard.es

Ελλάδα

Ideal Standard S. Α. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris (1) +33 (0)1 49 38 81 34

sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)

www.idealstandard.fr

Italia Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia ⊕ +39 (0)2 28881
⊠ info@idealstandard.it
www.idealstandard.it

Nederland

Österreich

Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wrocław (1) +48 71 78 68 301 www.idealstandard.po

România

Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija ① +381 11 7138 058 www.idealstandard.rs

United Kingdom