

**Mirror cabinet # QA7150 / QA7150 / QA7150 / QA7150 / QA7150 / QA7150 / QA7150 / QA7150**

|< 600 mm >|



Mirror cabinet	Dimension	Weight	Order number
Version: Sensor, Number of doors: 2, Hinge position: Left, Right, Mirror surfaces: Back panel mirror, Double mirror doors, Number of glass shelves: 2, 20 W, Turn on lighting: Sensor switch Bottom, Right, 3500 K, Dimming function: Integrated, Niche lighting: Integrated, Interior lighting: Optional, Service life of illuminant: 30.000, Replaceable illuminant: No, Energy efficiency class C, Protection type: IP44			
<b>Colors</b>			
M18 White Matt M49 Graphite Matt			
<b>Variant</b>			
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		26.000 kg	QA7150
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		26.000 kg	QA7150
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		26.000 kg	QA7150
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		26.000 kg	QA7150
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		26.000 kg	QA7150
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		26.000 kg	QA7150
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		26.000 kg	QA7150
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		26.000 kg	QA7150
<b>Accessory</b>			

Mirror cabinet # QA7150 / QA7150 / QA7150 / QA7150 / QA7150 /  
QA7150 / QA7150 / QA7150

|< 600 mm >|

Magnetic strip Chrome Matt, Stainless steel, Incl. mounting material: Yes, Suitable for series Brioso, Duravit No.1, Ketho, Ketho.2, L-Cube, Light & mirror, Qatego, Vitrium, XSquare, XVi, Suitable for Mirror cabinet	90 x 5 mm	0.034 kg	UV9709
---	-----------	----------	--------

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*

**Mirror cabinet # QA7151 / QA7151 / QA7151 / QA7151 / QA7151 / QA7151 / QA7151 / QA7151**

| < 800 mm > |



Mirror cabinet	Dimension	Weight	Order number
Version: Sensor, Number of doors: 2, Hinge position: Left, Right, Mirror surfaces: Back panel mirror, Double mirror doors, Number of glass shelves: 2, 22 W, Turn on lighting: Sensor switch Bottom, Right, 3500 K, Dimming function: Integrated, Niche lighting: Integrated, Interior lighting: Optional, Service life of illuminant: 30.000, Replaceable illuminant: No, Energy efficiency class C, Protection type: IP44			
<b>Colors</b>			
M18 White Matt M49 Graphite Matt			
<b>Variant</b>			
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		28.000 kg	QA7151
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		28.000 kg	QA7151
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		28.000 kg	QA7151
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		28.000 kg	QA7151
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		28.000 kg	QA7151
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		28.000 kg	QA7151
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		28.000 kg	QA7151
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		28.000 kg	QA7151
<b>Accessory</b>			

Mirror cabinet # QA7151 / QA7151 / QA7151 / QA7151 / QA7151 /  
QA7151 / QA7151 / QA7151

|< 800 mm >|

Magnetic strip Chrome Matt, Stainless steel, Incl. mounting material: Yes, Suitable for series Brioso, Duravit No.1, Ketho, Ketho.2, L-Cube, Light & mirror, Qatego, Vitrium, XSquare, XVi, Suitable for Mirror cabinet	90 x 5 mm	0.034 kg	UV9709
--	-----------	----------	--------

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*

**Mirror cabinet # QA7152 / QA7152 / QA7152 / QA7152 / QA7152 / QA7152 / QA7152 / QA7152**

|< 1000 mm >|



Mirror cabinet	Dimension	Weight	Order number
Version: Sensor, Number of doors: 2, Hinge position: Left, Right, Mirror surfaces: Back panel mirror, Double mirror doors, Number of glass shelves: 2, 25 W, Turn on lighting: Sensor switch Bottom, Right, 3500 K, Dimming function: Integrated, Niche lighting: Integrated, Interior lighting: Optional, Service life of illuminant: 30.000, Replaceable illuminant: No, Energy efficiency class C, Protection type: IP44			
<b>Colors</b>			
M18 White Matt M49 Graphite Matt			
<b>Variant</b>			
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		32.000 kg	QA7152
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		32.000 kg	QA7152
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		32.000 kg	QA7152
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		32.000 kg	QA7152
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		32.000 kg	QA7152
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		32.000 kg	QA7152
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		32.000 kg	QA7152
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		32.000 kg	QA7152
<b>Accessory</b>			

Mirror cabinet # QA7152 / QA7152 / QA7152 / QA7152 / QA7152 /  
QA7152 / QA7152 / QA7152

|< 1000 mm >|

Magnetic strip Chrome Matt, Stainless steel, Incl. mounting material: Yes, Suitable for series Brioso, Duravit No.1, Ketho, Ketho.2, L-Cube, Light & mirror, Qatego, Vitrium, XSquare, XVi, Suitable for Mirror cabinet	90 x 5 mm	0.034 kg	UV9709
---	-----------	----------	--------

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*

**Mirror cabinet # QA7153 / QA7153 / QA7153 / QA7153 / QA7153 / QA7153 / QA7153 / QA7153**

|< 1200 mm >|



Mirror cabinet	Dimension	Weight	Order number
Version: Sensor, Number of doors: 2, Hinge position: Left, Right, Mirror surfaces: Back panel mirror, Double mirror doors, Number of glass shelves: 2, 26 W, Turn on lighting: Sensor switch Bottom, Right, 3500 K, Dimming function: Integrated, Niche lighting: Integrated, Interior lighting: Optional, Service life of illuminant: 30.000, Replaceable illuminant: No, Energy efficiency class C, Protection type: IP44			
<b>Colors</b>			
M18 White Matt M49 Graphite Matt			
<b>Variant</b>			
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		35.000 kg	QA7153
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		35.000 kg	QA7153
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		35.000 kg	QA7153
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		35.000 kg	QA7153
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		35.000 kg	QA7153
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F, Interior lighting: Integrated		35.000 kg	QA7153
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		35.000 kg	QA7153
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C, Interior lighting: Integrated		35.000 kg	QA7153
<b>Accessory</b>			

**Mirror cabinet # QA7153 / QA7153 / QA7153 / QA7153 / QA7153 /  
QA7153 / QA7153 / QA7153**

|< 1200 mm >|

Magnetic strip Chrome Matt, Stainless steel, Incl. mounting material: Yes, Suitable for series Brioso, Duravit No.1, Ketho, Ketho.2, L-Cube, Light & mirror, Qatego, Vitrium, XSquare, XVi, Suitable for Mirror cabinet	90 x 5 mm	0.034 kg	UV9709
--	-----------	----------	--------

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*