




# CERATHERM T25<sup>+</sup> A7211AA

Ceratherm T25<sup>+</sup> | Exposed shower system 315x531.5x1117 mm in chrome finish, 12.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Safety stop

## Image & drawing





#### General information

Product type: Shower systems Sub product type: Exposed shower system Brand: Ideal Standard Suite name: Ceratherm T25+ Ideal Standard Designer: Colour: AA - Chrome Surface finish effect: glossy Height (mm): 1117 Width (mm): Length / Projection (mm): 531.5 Fixing method: Coupling nut Net weight (kg): 3.46 EAN code: 4015413356336

Removable 12 litre per minute eco flow regulator fitted in the fixed head and 8 litre per minute regulator in the handspray. Minimum operating pressure of 1 Bar

# Included products

BD581AA: IDEALRAIN ALU+ | Overhead shower 260x91x260 mm in

chrome finish, 12 l/min (3 bar)

BD580AA: IDEALRAIN ALU+ | Multi function handspray 100x56x232 mm in

chrome finish, 8 l/min (3 bar)

BE175AA: IDEALRAIN | Shower hose 1750 mm in chrome finish

A861504AA: Fast-Fixing set

# **Features**



Thermostatic function



Water & Energy savings



Cool Body technology



Safety stop

### **Downloads**

Declaration of Conformity

• Installation Guide

• Spare Parts List

# **Product specifications**

Adjustable fixing points: Yes
Colour code: AA
Colour description: chrome
Cool Body technology: Yes
Flushing time adjustable: No
Handspray height adjustable: Yes
Handle position: Lateral
Headshower is depth- No





CERATHERM T25<sup>+</sup> A7211AA

Ceratherm T25 $^+$  | Exposed shower system 315x531.5x1117 mm in chrome finish, 12.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Safety stop

Max. flow rate at 3 bar (l) for all outlets:  Max. flow rate at 3 bar (l) for handspray:  Max. flow rate at 3 bar (l) for headshower:  Max. operating pressure (bar):  Min. operating pressure (bar):  Noise reduced S-Connectors:  No  PVD technology:  No  Shower bar is vertically adjustable:  SmartShine:  Surface cover:  Chromium-plated  Surface finish effect:  Thermostatic:  Yes  Tyes  Thermostatic:  Yes  Tyes of temperature control:  With S-couplings:  With diverter unit:  Wes  With handspray:  With handspray:  With handspray set:  With handspray set:  With shower kit:  With shower hose:  With shower kit:  No  With shower kit:  No  With shower set:  No  With shower set:  No  With soap holder:  No  With wall elbow:  No  Fixing material included:  Yes  Fixing method:  Coupling nut	Material:	Metal
outlets:  Max. flow rate at 3 bar (I) for handspray:  Max. flow rate at 3 bar (I) for headshower:  Max. operating pressure (bar):  Min. operating pressure (bar):  Noise reduced S-Connectors:  No  PVD technology:  Shower bar is vertically adjustable:  SmartShine:  Surface cover:  Surface finish effect:  Thermostatic:  Tyes  Type of handle:  Rotary knob  Type of temperature control:  With S-couplings:  With diverter unit:  Yes  With handspray:  With handspray set:  With shower kit:  No  With shower kit:  No  With shower kit:  No  With shower kit:  No  With soap holder:  No  With wall bracket:  No  Fixing method:  Coupling nut	Max. flow rate at 3 bar (l):	12.0
handspray:  Max. flow rate at 3 bar (I) for headshower:  Max. operating pressure (bar):  Noise reduced S-Connectors:  No PVD technology:  Shower bar is vertically adjustable:  SmartShine:  Surface cover:  Chromium-plated  Surface finish effect:  Temperature limiter:  Yes  Thermostatic:  Tyes  Tyes of temperature control:  With S-couplings:  With diverter unit:  With handspray:  With handspray set:  With shower kit:  No With shower kit:  No With shower kit:  No With sap holder:  No With sap holder:  No With sap holder:  No With wall elbow:  Fixing method:  Coupling nut		8/12
headshower:  Max. operating pressure (bar): 10  Min. operating pressure (bar): 0.5  Noise reduced S-Connectors: No  PVD technology: No  Shower bar is vertically adjustable: SmartShine: Yes  Surface cover: chromium-plated  Surface finish effect: glossy  Temperature limiter: Yes  Thermostatic: Yes  Type of handle: Rotary knob  Type of temperature control: Thermostatic  With S-couplings: No  With check valve: Yes  With handspray: Yes  With handspray set: No  With handspray set: No  With shelve(s): No  With shower hose: Yes  With shower kit: No  With side showers: No  With side showers: No  With soap holder: No  With wall elbow: No  Fixing method: Coupling nut		8
Min. operating pressure (bar):  Noise reduced S-Connectors:  No  PVD technology:  Shower bar is vertically adjustable:  SmartShine:  Surface cover:  Chromium-plated  Surface finish effect:  Itemperature limiter:  Thermostatic:  Tyes  Type of handle:  Rotary knob  Type of temperature control:  With S-couplings:  With diverter unit:  Yes  With handspray:  With handspray set:  No  With head shower:  With shower hose:  With shower kit:  No  With sliding set:  Wes  With wall elbow:  Fixing material included:  Yes  No  No  No  No  No  No  PVE  No  No  No  No  No  No  No  No  No  N		12
Noise reduced S-Connectors: No PVD technology: No Shower bar is vertically adjustable: SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: No With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: No With shower hose: Yes With shower kit: No With shower kit: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	Max. operating pressure (bar):	10
PVD technology: No Shower bar is vertically adjustable: SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: No With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: No With shower kit: No With shower kit: No With shower kit: No With side showers: Yes With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	Min. operating pressure (bar):	0.5
Shower bar is vertically adjustable:  SmartShine:  Surface cover:  Surface finish effect:  Thermostatic:  Type of handle:  With S-couplings:  With diverter unit:  With handspray:  With handspray set:  With shelve(s):  With shower kit:  With shower kit:  With soap holder:  With wall elbow:  No  With wall elbow:  Fixing material included:  Yes  Chromium-plated  Ses  Ano  Alone Alone  Anomium-plated  No  Alone  Alone  Anomium-plated  Ses  Ves  Notary knob  Thermostatic  Thermostatic  Thermostatic  Wes  Ves  With check valve:  Yes  With shewobattle  Yes  With handspray:  Yes  With handspray:  Yes  With shower:  No  With shower hose:  Yes  With shower hose:  No  With side showers:  No  With wall elbow:  No  Fixing material included:  Yes  Fixing method:  Coupling nut	Noise reduced S-Connectors:	No
adjustable:  SmartShine:  Surface cover:  Surface finish effect:  Temperature limiter:  Tyes  Thermostatic:  Type of handle:  No  With S-couplings:  With diverter unit:  With handspray:  With handspray set:  With shelve(s):  With shower hose:  With shower kit:  With soap holder:  No  With wall elbow:  Fixing material included:  Yes  Chromium-plated  Surface cover:  Chromium-plated  Stromium-plated  Stromium-pla	PVD technology:	No
Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: No With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: No With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	Shower bar is vertically adjustable:	No
Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: No With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: No With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	SmartShine:	Yes
Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: No With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: No With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	Surface cover:	chromium-plated
Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: No With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: No With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side showers: No With sulding set: Yes With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	Surface finish effect:	glossy
Type of handle: Rotary knob  Type of temperature control: Thermostatic  With S-couplings: No  With check valve: Yes  With diverter unit: Yes  With handspray: Yes  With handspray set: No  With head shower: Yes  With shelve(s): No  With shower hose: Yes  With shower kit: No  With side showers: No  With side solowers: No  With soap holder: No  With wall bracket: No  With wall elbow: No  Fixing material included: Yes  Fixing method: Coupling nut	Temperature limiter:	Yes
Type of temperature control:  With S-couplings:  With check valve:  Yes  With diverter unit:  Yes  With handspray:  With handspray set:  With head shower:  Yes  With shelve(s):  With shower hose:  Yes  With shower kit:  No  With side showers:  No  With side showers:  No  With soap holder:  Wo  With wall elbow:  Fixing material included:  Yes  Thermostatic  Toulling  Thermostatic  No  With landspray:  Yes  With shower  No  With wall elbow:  No  Fixing material included:  Yes  Fixing method:  Coupling nut	Thermostatic:	Yes
With S-couplings: With check valve: With diverter unit: Yes With handspray: With handspray set: With handspray set: With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side showers: No With soap holder: With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: No Work Ves With shower kit: No Coupling nut	Type of handle:	Rotary knob
With check valve: With diverter unit: Yes With handspray: With handspray set: With handspray set: With head shower: With shelve(s): With shower hose: Yes With shower kit: No With side showers: No With sliding set: Yes With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: Yes Ves Ves Ves Coupling nut	Type of temperature control:	Thermostatic
With diverter unit:  With handspray:  With handspray set:  With head shower:  With shelve(s):  With shower hose:  With shower kit:  No  With side showers:  With side showers:  With soap holder:  With wall bracket:  No  With wall elbow:  Fixing material included:  Yes  Yes  Coupling nut	With S-couplings:	No
With handspray: Yes With handspray set: No With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With sliding set: Yes With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	With check valve:	Yes
With handspray set: With head shower: With shelve(s): With shower hose: With shower kit: No With side showers: No With sliding set: With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: Coupling nut	With diverter unit:	Yes
With head shower:  With shelve(s):  With shower hose:  With shower kit:  No  With side showers:  No  With sliding set:  With soap holder:  With wall bracket:  No  With wall elbow:  No  Fixing material included:  Yes  Yes  Coupling nut	With handspray:	Yes
With shelve(s):  With shower hose:  With shower kit:  Wo With side showers:  With sliding set:  With soap holder:  With wall bracket:  No With wall elbow:  Fixing material included:  Coupling nut	With handspray set:	No
With shower hose:  With shower kit:  No With side showers:  No With sliding set:  Yes With soap holder:  No With wall bracket:  No With wall elbow:  No Fixing material included:  Coupling nut	With head shower:	Yes
With shower kit:  No With side showers:  No With sliding set:  With soap holder:  No With wall bracket:  No With wall elbow:  No Fixing material included:  Coupling nut	With shelve(s):	No
With side showers:  With sliding set:  Wes  With soap holder:  With wall bracket:  No  With wall elbow:  No  Fixing material included:  Coupling nut	With shower hose:	Yes
With sliding set:  With soap holder:  No  With wall bracket:  No  With wall elbow:  No  Fixing material included:  Coupling nut	With shower kit:	No
With soap holder:  With wall bracket:  No With wall elbow:  No Fixing material included:  Fixing method:  No Coupling nut	With side showers:	No
With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: Coupling nut	With sliding set:	Yes
With wall elbow:  Fixing material included:  Fixing method:  Coupling nut	With soap holder:	No
Fixing material included: Yes Fixing method: Coupling nut	With wall bracket:	No
Fixing method: Coupling nut	With wall elbow:	No
	Fixing material included:	Yes
Mounting method: Wall	Fixing method:	Coupling nut
	Mounting method:	Wall





## Your local contact:

### België • Belgique

Ideal Standard Produktions-GmbH Corporate Village - Frame 21 Building Da Vincilaan 2 B-1935 Zaventem

(1) +32 2 325 66 00(2) +32 2 325 66 01(3) ±32 5 66 01(4) ±32 2 325 66 01(5) ±32 5 66 00(6) ±32 2 325 66 01(7) ±32 2 325 66 01(8) ±32 2 325 66 01(9) ±32 2 325 66 01(

## България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 ② +359 885 938 880 ☑ office@idealstandard.com www.idealstandard.bg

### Česká republika

Ideal Standard s.r.o.
Zemska 623
41574 Teplice
① +420 (0)-417-265 11
② +420 (0)-417-265 15
www.idealstandard.cz

### Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

### Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

# Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
① +49 (0)228 521-0
= +49 (0)228 521-241
\times idealstandard.de@idealstandard.com

www.idealstandard.de

#### Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 ① +353 1 4564525 www.idealstandard.ie

### España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) ① +34 93 561 80 00 www.idealstandard.es

#### Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

#### France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris

 +33 (0)1 49 38 81 34
 sav.idealstandard@idealstandard.com (demandes techniques) / devis.chantier@idealstandard.com (demandes commerciales)

www.idealstandard.fr

# Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia ① +39 (0)2 28881 ☑ info@idealstandard.it www.idealstandard.it

# Nederland

Ideal Standard Nederland BV Hambakenwetering 3 5231 DD 's-Hertogenbosch ① +31 (0)-77 355 08 08 ② +31 (0)-77 354 21 86 www.idealstandard.nl

#### Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131–135
1220 Wien Österreich
① +43 125 66 222-0
= +43 125 66 222-625
www.idealstandard.at

#### Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

#### România

Ideal Standard Representative Office România Calea Victoriei 109, Etaj 1, Sector 1 București, 010069 ① +40 746 050 408 ☑ officebucharest@idealstandard.com www.ideal-standard.ro

#### Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija ① +381 11 7138 058 www.idealstandard.rs

# United Kingdom

www.idealstandard.co.uk

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
① +44 (0)-1482 346 461
B +44 (0)-1482 445 886