




CERATHERM T25 A7590AA

CERATHERM T25 | Exposed bath & shower system 315x487.5x1498 mm, 158 mm spout projection in chrome finish, 20.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop

Image & drawing





General information

Product type: Shower systems

Sub product type: Exposed bath ϑ shower system

Brand: Ideal Standard Suite name: CERATHERM T25 Ideal Standard Designer: Colour: AA - Chrome Surface finish effect: glossy Height (mm): 1498 Width (mm): 315 Length / Projection (mm): 487.5 Fixing method: S-coupling Net weight (kg): 390

EAN code: 4015413351744

Included products

B9403AA: IDEALRAIN | Multi function handspray 100x245.5 mm in chrome

finish, 8 l/min (3 bar)

BE175AA: IDEALRAIN | Shower hose 1750 mm in chrome finish

A861273AA: MULTI SUITES - SPARE PARTS | Overhead shower 252x252x60

mm in chrome finish, 12 l/min (3 bar)

Features



Thermostatic function



Water & Energy savings



Safety stop

Downloads

- Declaration of Conformity
- Installation Guide
- Spare Parts List

Product standard & certifications

ACS certificate name: 21 ACC LY 488_809

Product specifications

Adjustable fixing points: No

Colour code: AA

Colour description: chrome

Cool Body technology: No

ON / OFF S-Connectors: No

Flushing time adjustable: No

Handspray height adjustable: Yes

Handle application: Volume & temperature control

Handle position: Lateral





CERATHERM T25 A7590AA

CERATHERM T25 | Exposed bath & shower system 315x487.5x1498 mm, 158 mm spout projection in chrome finish, 20.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Safety stop

Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With sliding set: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: Ses	Headshower is depth- adjustable:	No
Max. flow rate at 3 bar (I): 20.0 Max. flow rate at 3 bar (I) for all outlets: Max. flow rate at 3 bar (I) for all outlets: Max. flow rate at 3 bar (I) for handspray: Max. flow rate at 3 bar (I) for headshower: Max. flow rate at 3 bar (I) for peadshower: Max. flow rate at 3 bar (I) for peadshower: Max. operating pressure (bar): 10 Min. operating pressure (bar): 0.5 Noise reduced S-Connectors: No PVD technology: No SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With diverter unit: Yes With handspray: Yes With handspray: Yes With handspray set: Yes With shower kit: No With sower kit: No With side showers: No With soap holder: No With wall elbow: No Fixing method: S-coupling	Material:	Metal
Max. flow rate at 3 bar (l) for all outlets: Max. flow rate at 3 bar (l) for handspray: Max. flow rate at 3 bar (l) for headshower: Max. flow rate at 3 bar (l) for headshower: Max. flow rate at 3 bar (l) for spout: Max. flow rate at 3 bar (l) for spout: Max. operating pressure (bar): Max. operating pressure (bar): Max. operating pressure (bar): Max. operating pressure (bar): Mo. Min. operating pressure (bar): No No SmartShine: Yes Surface cover: Chromium-plated Surface finish effect: Iglossy Temperature limiter: Yes Thermostatic: Yes Tyes Tye of handle: Rotary knob Thermostatic With S-couplings: Wes With diverter unit: Yes With handspray: Wes With handspray set: Wes With handspray set: Yes With shelve(s): No With shower kit: No With shower kit: No With sliding set: Yes With wall bracket: No With wall elbow: Fixing material included: Yes Van Yes Van No Van No Van S/12/20 8 8 Antary 10 Antary Antary	Material of handle:	Plastic
outlets: Max. flow rate at 3 bar (I) for handspray: Max. flow rate at 3 bar (I) for handspray: Max. flow rate at 3 bar (I) for spout: Max. flow rate at 3 bar (I) for spout: Max. operating pressure (bar): Min. operating pressure (bar): Noise reduced S-Connectors: No PVD technology: No SmartShine: Yes Surface cover: Chromium-plated Surface finish effect: Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: With S-couplings: With check valve: With diverter unit: Yes With handspray: With handspray set: With handspray set: With shelve(s): With shower kit: No With shower kit: No With side showers: With soap holder: No With wall bracket: No With wall bracket: No Fixing method: S-coupling 12 8 8 8 8 12 12 12 12 12 13 14 15 10 10 10 10 10 10 10 10 10	Max. flow rate at 3 bar (I):	20.0
handspray: Max. flow rate at 3 bar (I) for headshower: Max. flow rate at 3 bar (I) for spout: Max. operating pressure (bar): Max. operating pressure (bar): Min. operating pressure (bar): Noise reduced S-Connectors: No PVD technology: SmartShine: Surface cover: Chromium-plated Surface finish effect: Glossy Temperature limiter: Yes Thermostatic: Type of handle: Rotary knob Thermostatic With S-couplings: Wes With check valve: With diverter unit: Yes With handspray: With handspray set: With handspray set: With shower hose: With shower kit: No With shower kit: No With soap holder: No With wall bracket: No Fixing method: S-coupling 10 12 12 12 12 12 13 14 15 16 17 18 19 10 10 10 10 10 10 10 10 10		8/12/20
headshower: Max. flow rate at 3 bar (l) for spout: Max. operating pressure (bar): Noise reduced S-Connectors: No PVD technology: Surface cover: Surface finish effect: Tyes Thermostatic: Tyes Type of handle: Type of temperature control: With S-couplings: With check valve: With handspray: With handspray set: With shower hose: With shower kit: No With soap holder: No With wall elbow: Fixing method: PVD Min. operating pressure (bar): 10 10 10 10 10 10 10 10 10 1		8
spout: Max. operating pressure (bar): 10 Min. operating pressure (bar): 0.5 Noise reduced S-Connectors: No PVD technology: No SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With sliding set: Yes With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling		12
Min. operating pressure (bar): Noise reduced S-Connectors: No PVD technology: SmartShine: Surface cover: Surface finish effect: Surface finish effect: Temperature limiter: Tyes Thermostatic: Type of handle: Rotary knob Type of temperature control: With S-couplings: With check valve: With diverter unit: Yes With handspray: With handspray set: With head shower: With shelve(s): With shower hose: With shower kit: No With side showers: With soap holder: With wall elbow: Fixing material included: Fixing method: No No No No No No PVD technology: No Rotary knob Thermostatic Yes Rotary knob Thermostatic Yes Ves Wes With S-couplings: Yes With S-couplings: Yes With shower vit: No No With shelve(s): No With shower kit: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling		20
Noise reduced S-Connectors: No PVD technology: No SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	Max. operating pressure (bar):	10
PVD technology: No SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	Min. operating pressure (bar):	0.5
SmartShine: Yes Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray: Yes With handspray set: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	Noise reduced S-Connectors:	No
Surface cover: chromium-plated Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With sliding set: Yes With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	PVD technology:	No
Surface finish effect: glossy Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side sopholder: No With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	SmartShine:	Yes
Temperature limiter: Yes Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	Surface cover:	chromium-plated
Thermostatic: Yes Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With soap holder: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	Surface finish effect:	glossy
Type of handle: Rotary knob Type of temperature control: Thermostatic With S-couplings: Yes With check valve: Yes With diverter unit: Yes With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With side sopholder: No With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	Temperature limiter:	Yes
Type of temperature control: With S-couplings: With check valve: With diverter unit: With handspray: With handspray set: With head shower: With shelve(s): With shower hose: With shower kit: No With side showers: No With side showers: No With soap holder: With wall elbow: Fixing material included: Thermostatic Yes Yes With check valve: Yes With shower with shower: No No No Sixing material included: Yes Fixing method: S-coupling	Thermostatic:	Yes
With S-couplings: With check valve: With diverter unit: Yes With handspray: With handspray set: With head shower: With shelve(s): With shower hose: With shower kit: No With side showers: No With side showers: No With soap holder: With wall elbow: No With wall elbow: Fixing material included: S-coupling	Type of handle:	Rotary knob
With check valve: With diverter unit: Yes With handspray: With handspray set: With head shower: With shelve(s): No With shower hose: With shower kit: No With side showers: No With sliding set: With soap holder: No With wall bracket: No With wall elbow: Fixing material included: S-coupling	Type of temperature control:	Thermostatic
With diverter unit: With handspray: With handspray set: With head shower: With shelve(s): With shower hose: With shower kit: No With side showers: With side showers: With soap holder: With wall bracket: No With wall elbow: Fixing material included: Yes Yes Yes No S-coupling	With S-couplings:	Yes
With handspray: Yes With handspray set: Yes With head shower: Yes With shelve(s): No With shower hose: Yes With shower kit: No With side showers: No With sliding set: Yes With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: Yes Fixing method: S-coupling	With check valve:	Yes
With handspray set: With head shower: With shelve(s): With shower hose: With shower kit: No With side showers: No With sliding set: With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: S-coupling	With diverter unit:	Yes
With head shower: With shelve(s): No With shower hose: With shower kit: No With side showers: No With sliding set: Yes With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: S-coupling	With handspray:	Yes
With shelve(s): With shower hose: With shower kit: Wo With side showers: With sliding set: Wes With soap holder: With wall bracket: No With wall elbow: No Fixing material included: S-coupling	With handspray set:	Yes
With shower hose: With shower kit: No With side showers: No With sliding set: With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: S-coupling	With head shower:	Yes
With shower kit: No With side showers: No With sliding set: With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: Fixing method: S-coupling	With shelve(s):	No
With side showers: With sliding set: With soap holder: With wall bracket: No With wall elbow: No Fixing material included: Fixing method: No S-coupling	With shower hose:	Yes
With sliding set: With soap holder: No With wall bracket: No With wall elbow: No Fixing material included: S-coupling	With shower kit:	No
With soap holder: With wall bracket: No With wall elbow: No Fixing material included: Fixing method: S-coupling	With side showers:	No
With wall bracket: No With wall elbow: No Fixing material included: Fixing method: S-coupling	With sliding set:	Yes
With wall elbow: Fixing material included: Fixing method: No Yes S-coupling	With soap holder:	No
Fixing material included: Yes Fixing method: S-coupling	With wall bracket:	No
Fixing method: S-coupling	With wall elbow:	No
	Fixing material included:	Yes
Handle fixation position: Top	Fixing method:	S-coupling
	Handle fixation position:	Тор

Wall

Mounting method:





Your local contact:

België • Belgique

Ideal Standard Produktions GmbH Ikaroslaan 18
B-1930 Zaventem
① +32 2 325 66 00

□ +32 2 325 66 01
www.idealstandard.be

България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 ② +359 885 938 880 ⊠ office@idealstandard.com www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemska 623
41574 Teplice
① +420 (0)-417-265 11
② +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

Deutschland

Ideal Standard GmbH Euskirchener Straße 80 53121 Bonn ① +49 (0)228 521-0

± +49 (0)228 521-241

☐ idealstandard.de@idealstandard.com www.idealstandard.de

Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 ① +353 1 4564525 www.idealstandard.ie

España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) ① +34 93 561 80 00 www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris

9 +33 (0)1 49 38 81 34

sav.idealstandard@idealstandard.com (demandes techniques) / devis.chantier@idealstandard.com (demandes commerciales) www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia ③ +39 (0)2 28881 ⊠ info@idealstandard.it www.idealstandard.it

Nederland

Ideal Standard Nederland BV Hambakenwetering 3 5231 DD 's-Hertogenbosch ① +31 (0)-77 355 08 08 ☐ +31 (0)-77 354 21 86 www.idealstandard.nl

Österreich

Ideal Standard GmbH Zweigniederlassung Österreich Erzherzog-Karl-Str. 131–135 1220 Wien Österreich ① +43 125 66 222-0 ☐ +43 125 66 222-625 www.idealstandard.at

Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

România

Ideal Standard Representative Office România Calea Victoriei 109, Etaj 1, Sector 1 București, 010069 ① +40 746 050 408 ☑ officebucharest@idealstandard.com www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija ① +381 11 7138 058 www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
① +44 (0)-1482 346 461
② +44 (0)-1482 445 886
www.idealstandard.co.uk