CAPO FLAT

Mild Steel Towel Rail

REINA
DESIGNER RADIATOR






chrome anthracite black white

CAPO FLAT

Mild Steel Towel Rail

REINA
DESIGNER RADIATOR



5 Years Guarantee

Material: Mild Steel

The Reina Capo Flat Towel Radiator features a modern ladder design with straight tubes, available in anthracite, black, or chrome finishes. Crafted from durable steel, it provides superb heat output and optimal warmth distribution through its 22mm horizontal tubes. Enjoy stylish functionality with the peace of mind of a 5-year guarantee.










CAPO FLAT


Mild Steel Towel Rail

REINA
DESIGNER RADIATOR


Available Sizes




800 x 400




800 x 500




800 x 600




1000 x 400




1000 x 500




1000 x 600




1200 x 400




1200 x 500




1200 x 600




1600 x 400




1600 x 500




1600 x 600




1800 x 400




1800 x 500




1800 x 600



800 x 300



1000 x 300




1200 x 300


Available Colours



chrome anthracite black white


REINA
DESIGNER RADIATOR





HIGHT D	VERTICAL HOLES F
800mm	616mm
1000mm	816mm
1200mm	1016mm
1600mm	1416mm
1800mm	

WIDTH A	AXIS B	HORİZONTAL HOLES E
300mm	255mm	100mm
400mm	355mm	200mm
450mm	405mm	250mm
500mm	455mm	300mm
550mm	505mm	350mm
600mm	555mm	400mm



CAPO FLAT

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR

Dimensions & Technical Data

Height (mm)	Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Dry Weight	No. Bars	Fuel Type
800	400	355	70-85	85-100	-	12	C/E/D
800	500	455	70-85	85-100	-	12	C/E/D
800	600	555	70-85	85-100	-	12	C/E/D
1000	400	355	70-85	85-100	-	16	C/E/D
1000	500	455	70-85	85-100	-	16	C/E/D
1000	600	555	70-85	85-100	-	16	C/E/D
1200	400	355	70-85	85-100	-	18	C/E/D
1200	500	455	70-85	85-100	-	18	C/E/D
1200	600	555	70-85	85-100	-	18	C/E/D
1600	400	355	70-85	85-100	-	24	C/E/D
1600	500	455	70-85	85-100	-	24	C/E/D
1600	600	555	70-85	85-100	-	24	C/E/D
1800	400	355	70-85	85-100	-	27	C/E/D
1800	500	455	70-85	85-100	-	27	C
1800	600	555	70-85	85-100	-	27	C
800	300	255	70-85	85-100	-	12	C/E/D
1000	300	255	70-85	85-100	-	16	C/E/D
1200	300	255	70-85	85-100	-	18	C/E/D

C: Central Heating / E: Electric / D: Dual Fuel

CAPO FLAT

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR

Central Heating Heat Outputs

Model/SKU	Height (mm)	Width (mm)	Colour	Heat Outputs ΔT50°C		Heat Outputs ΔT60°C	
				BTU	Watts	BTU	Watts
CPO0840CF	800	400	Chrome	593	174	759	223
CPO0840AF	800	400	Anthracite	873	256	1117	328
CPO0840KF	800	400	Black	873	256	1117	328
CPO0840WF	800	400	White	873	256	1117	328
CPO0850CF	800	500	Chrome	702	206	899	264
CPO0850AF	800	500	Anthracite	1037	304	1327	389
CPO0850KF	800	500	Black	1037	304	1327	389
CPO0850WF	800	500	White	1037	304	1327	389
CPO0860CF	800	600	Chrome	812	238	1039	305
CPO0860AF	800	600	Anthracite	1211	355	1550	454
CPO0860KF	800	600	Black	1211	355	1550	454
CPO0860WF	800	600	White	1211	355	1550	454
CPO1040CF	1000	400	Chrome	760	223	973	285
CPO1040AF	1000	400	Anthracite	1122	329	1436	421
CPO1040KF	1000	400	Black	1122	329	1436	421
CPO1040WF	1000	400	White	1122	329	1436	421
CPO1050CF	1000	500	Chrome	870	255	1114	326
CPO1050AF	1000	500	Anthracite	1296	380	1659	486
CPO1050KF	1000	500	Black	1296	380	1659	486
CPO1050WF	1000	500	White	1296	380	1659	486
CPO1060CF	1000	600	Chrome	982	288	1257	369
CPO1060AF	1000	600	Anthracite	1463	429	1873	549
CPO1060KF	1000	600	Black	1463	429	1873	549
CPO1060WF	1000	600	White	1463	429	1873	549
CPO1240CF	1200	400	Chrome	849	249	1087	319
CPO1240AF	1200	400	Anthracite	1265	371	1619	475
CPO1240KF	1200	400	Black	1265	371	1619	475
CPO1240WF	1200	400	White	1265	371	1619	475
CPO1250CF	1200	500	Chrome	1003	294	1284	376
CPO1250AF	1200	500	Anthracite	1504	441	1925	564
CPO1250KF	1200	500	Black	1504	441	1925	564
CPO1250WF	1200	500	White	1504	441	1925	564
CPO1260CF	1200	600	Chrome	1163	341	1489	436

Model/SKU	Height (mm)	Width (mm)	Colour	Heat Outputs ΔT50°C		Heat Outputs ΔT60°C	
				BTU	Watts	BTU	Watts
CPO1260AF	1200	600	Anthracite	1725	506	2208	648
CPO1260KF	1200	600	Black	1725	506	2208	648
CPO1260WF	1200	600	White	1725	506	2208	648
CPO1640CF	1600	400	Chrome	1125	330	1440	422
CPO1640AF	1600	400	Anthracite	1674	491	2143	628
CPO1640KF	1600	400	Black	1674	491	2143	628
CPO1640WF	1600	400	White	1674	491	2143	628
CPO1650CF	1600	500	Chrome	1326	389	1697	498
CPO1650AF	1600	500	Anthracite	1978	580	2532	742
CPO1650KF	1600	500	Black	1978	580	2532	742
CPO1650WF	1600	500	White	1978	580	2532	742
CPO1660CF	1600	600	Chrome	1538	451	1969	577
CPO1660AF	1600	600	Anthracite	2292	672	2934	860
CPO1660KF	1600	600	Black	2292	672	2934	860
CPO1660WF	1600	600	White	2292	672	2934	860
CPO1840CF	1800	400	Chrome	1187	348	1519	445
CPO1840AF	1800	400	Anthracite	1858	545	2378	698
CPO1840KF	1800	400	Black	1858	545	2378	698
CPO1840WF	1800	400	White	1858	545	2378	698
CPO1850CF	1800	500	Chrome	1453	426	1860	545
CPO1850AF	1800	500	Anthracite	2193	643	2807	823
CPO1850KF	1800	500	Black	2193	643	2807	823
CPO1850WF	1800	500	White	2193	643	2807	823
CPO1860CF	1800	600	Chrome	2360	692	3021	886
CPO1860AF	1800	600	Anthracite	2578	756	3300	968
CPO1860KF	1800	600	Black	2578	756	3300	968
CPO1860WF	1800	600	White	2578	756	3300	968
CPO0830CF	800	300	Chrome	494	145	632	186
CPO0830KF	800	300	Black	726	213	929	273
CPO1030CF	1000	300	Chrome	631	185	808	237
CPO1030KF	1000	300	Black	931	273	1192	349
CPO1230CF	1200	300	Chrome	709	208	908	266
CPO1230KF	1200	300	Black	1054	309	1349	396